





Technologies:



IP24



• ENERGY SAVING:

- This model is designed to work with solar collectors or heat pumps. It features a lower-

positioned, enlarged heat exchanger (S) that maximizes the use of energy from alternative sources. Thanks to its increased heat exchange surface, this water heater model is highly versatile and suitable for a wide range of applications .

- The thick insulation of 35 mm CFC-free polyurethane foam ensures extremely low heat losses and saves money;

The model has **new control system** with the following advantages:

- Twin LED visual indicator:
 - Red light - heating mode;
 - White light - ready to use.
- Combined controller for power and temperature adjustment;
- "Holiday" mode for energy saving during extended absences and freeze protection.
- **LONG LIFE** - water tank coated with wear-proof zirconium enamel and two magnesium protectors for an optimal corrosion protection of the whole volume;
- **RELIABLE** - with a reliable "6-level protection"
- Heat exchanger sensor socket - a thermal sensor is fitted inside it that sends information to the control system for heating;
- Elegant external thermostat - for setting the water heating temperature;
- Temperature indicator - to read the water heating temperature;
- Combined safety valve - jointly acting as balance and non-reverse and differential valve;
- Round flange with a special design - guaranteeing your safety;
- Electrical tube heater designed especially for this model and manufactured by a last generation technology.
- Corpus in white matte;

Installation:	Vertical
Capacity range:	80
Water tank:	Enameled
Nominal power (kW):	3
Energy efficiency class:	B
Control:	mechanical control
Number of coils:	1
Dimensions ØxH [mm]:	
Voltage [V]:	230 V~
Method of water heating:	Electric heating element + one heat exchanger
Pipes diameter (plumbing system / heat exchanger):	1/2" / 1/2"
Nominal pressure [MPa]:	0.7
IP protection:	IP24
Heat exchanger surface [m2]:	0,49

Nominal volume [l]:	
Standing loss [W]:	44
Colors:	